

## VENICUTC05 (VENICUT55)



HEATNOCUT KNITTED GLOVE- GAUGE 10

Ref. VECUTC05



### Product specifications

HEATnocut high performance fibre. Gauge 10.

HEATnocut high performance fibres.

#### COLOUR

Yellow-Grey

#### SIZE

07, 09, 10

### Product Use - Risks



CUTTING



Wearing



Heavy industry



Construction / Civil engineering

## Product's highlights & user's benefits



HEATnocut high performance fibre

Contact heat (100°C for 15 seconds) and cut resistance  
Very good level of abrasion resistance



Food compatibility



Cut level C

## Certifications and Standards



REGULATION (EU) 2016/425

EN ISO 21420:2020 General requirements

EN388:2016+A1:2018 Protective gloves against mechanical Risks (Levels obtained on the palm)



- 3: Resistance to abrasion (from 1 to 4)
- X: Resistance to cutting (from 1 to 5)
- 4: Resistance to tear (from 1 to 4)
- X: Resistance to puncture (1 to 4)
- C: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)

EN407:2020 Protective gloves against Heat & Fire risks (X = Unrealized test)



- X: Resistance to flammability (from 1 to 4)
- 1: Contact heat resistance (from 1 to 4)
- X: Convective heat resistance (1 to 4)
- X: Radiant heat resistance (from 1 to 4)
- X: Small splashes of molten metal (from 1 to 4)
- X: Large quantities of molten metal (from 1 to 4)


## USA STANDARDS



ANSI-ISEA 105:2016 Hand protection

A3: Resistance to cutting by sharp objects (from A1 to A9)

## References

References	Bar code	COLOUR	SIZE		
VECUTC05GJ07	3295249157227	Yellow-Grey	07	120	12
VECUTC05GJ09	3295249157234	Yellow-Grey	09	120	12
VECUTC05GJ10	3295249157241	Yellow-Grey	10	120	12