

VENICUT50



TAEKI® 5 KNITTED GLOVE - COWHIDE LEATHER PALM

Ref. VECUT50



Product specifications

TAEKI® 5 High performance polyethylene fibre. Cowhide on palm and fingertips. Gauge 10.

Support: TAEKI®5 fibres (synthetic: High performance).
Split cowhide.

COLOUR

Yellow-Grey

SIZE

09, 10

Product Use - Risks



Heat



Cutting / Perforation



Wearing



Construction / Civil engineering



Heavy industry



Light industry



Services / Logistics



Oil / Gas



Mining

Product's highlights & user's benefits

Split leather :

- Very good abrasion resistance
- Ideal for heavy work

TAEKI® 5 high performance polyethylene:

- Excellent cut resistance
- Maximum abrasion performance

Reinforced thumb crotch



Cut level 5



Cut level D

Certifications and Standards

USA STANDARDS



ANSI-ISEA 105:2016 Hand Protection

A4: Resistance to cutting by sharp objects (from A1 to A9)



PPE DIRECTIVE EC 89/686

EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)



EN388:2003 Protective gloves against mechanical Risks (Levels obtained on the palm)

4: Resistance to abrasion (from 1 to 4)

5: Resistance to cutting (from 1 to 5)

4: Resistance to tear (from 1 to 4)

3: Resistance to puncture (1 to 4)



EN407:2004 Protective gloves against Heat & Fire risks (X = Unrealized test)

X: Resistance to flammability (from 1 to 4)

2: Resistance to contact heat (from 1 to 4)



X: Resistance to convective heat (from 1 to 4)

X: Resistance to radiant heat (from 1 to 4)

X: Resistance to small projections of liquid metal (from 1 to 4)

X: Resistance to large projections of molten metal (from 1 to 4)

References

References	Bar code	COLOUR	SIZE		
VECUT5009	3295249157289	Yellow-Grey	09	60	12
VECUT5010	3295249157296	Yellow-Grey	10	60	12