

BASF PVCC600



PVC BASF GLOVES - LENGTH 60 CM

Ref. PVCC600



Product specifications

Chemical PVC. PVC on interlock cotton lining. Length: 60 cm. Thickness: 1,20 - 1,40 mm.

Support: Interlock cotton .

Coating: 100% PVC.

COLOUR

Red

SIZE

10

Product Use - Risks



Biological chemical particles



Wearing



Agriculture / Green areas



Heavy industry



Oil / Gas



Mining

CHEM D-FINDER



Product's highlights & user's benefits

Hexamoll® DINCH® – Innovative plasticizer
by BASF

BASF is committed to sustainable and innovative products and has therefore introduced Hexamoll® DINCH®, the non-phthalate plasticizer:

- Hexamoll DINCH is safe for sensitive applications
- Complies with regulations (REACH)
- Hexamoll® DINCH® is environmentally friendly
- Safeguard - Hexamoll® DINCH® in Food Contact Applications
- Work Safe - in protective gloves

PVC:

- Excellent resistance to abrasion
- Repels oils chemical products and petrol derivatives

Full arm protection



Certifications and Standards



PPE DIRECTIVE EC 89/686

EN420:2003+A1:2009 General requirements
5: Dexterity (from 1 to 5)



EN388:2003 Protective gloves against mechanical Risks (Levels obtained on the palm)
4: Resistance to abrasion (from 1 to 4)
1: Resistance to cutting (from 1 to 5)
2: Resistance to tear (from 1 to 4)
1: Resistance to puncture (1 to 4)



EN374-2:2003 Protective gloves against chemicals and micro-organisms - Part 2:
Determination of resistance to penetration



EN374-3:2003 Protective gloves against chemicals and micro-organisms - Part 3:
Determination of resistance to permeation by chemicals
AKL: Resistant gloves to permeation by chemicals, tested according to EN374-3
A 2 > 30 mn: Méthanol (A) CAS 67-56-1
K 6 > 480 mn: Caustic soda 40% (K) CAS 1310-73-2
L 3 > 60 mn: Sulphuric acid 96 % (L) CAS 7664-93-9

References

References	Bar code	COLOUR	SIZE		
PVCC60010	3295249134402	Red	10	60	6