

SAGA S3 SRC



BOOTS IN NUBUCK LEATHER

Ref. SAGAS3



Product specifications

Upper: Nubuck leather, S3 water resistant treatment. Lining: Polyester. Insole: Removable - polyester on EVA. Outsole: Cemented - PU/Rubber.

COLOUR

Beige, Black

SIZE

39, 40, 41, 42, 43, 44, 45, 46, 47, 48

Product Use - Risks



Antistatic



Shock



Cutting / Perforation



Slip



Heat



Second work / craftman



Light industry



Services / Logistics

Product's highlights & user's benefits



Rubber outsole for increased durability

Padded collar and tongue for comfort



Composite toe cap 200- joule,
Lighter than steel
Non conductive material



NON-MAGNETIC
No metal part in the shoe



Ultra flexible anti-perforation composite
insole



Composite
Protection

Non-metallic

COMPOSITE

COMPOSITE

Certifications and Standards



RÈGLEMENT (UE) 2016/425

EN ISO 20344:2011 Personal protective equipment - Test methods for footwear

EN ISO 20345:2011 Personal protective equipment - Safety footwear.

S3 HRO: Additional special requirements

SRC: Slip resistance

USA STANDARDS



ASTM F 2413:2011 Standard Specification for Performance Requirements for Protective (Safety) Toe Cap Footwear

M I/75 C/75 PR SD: Additional special requirements

References

References	Bar code	COLOUR	SIZE		
SAGAS3BE39	3295249194840	Beige	39	5	-
SAGAS3BE40	3295249194857	Beige	40	5	-
SAGAS3BE41	3295249194864	Beige	41	5	-
SAGAS3BE42	3295249194871	Beige	42	5	-
SAGAS3BE43	3295249194888	Beige	43	5	-
SAGAS3BE44	3295249194895	Beige	44	5	-
SAGAS3BE45	3295249194901	Beige	45	5	-
SAGAS3BE46	3295249194918	Beige	46	5	-
SAGAS3BE47	3295249194925	Beige	47	5	-
SAGAS3BE48	3295249194932	Beige	48	5	-
SAGAS3NO39	3295249194949	Black	39	5	-
SAGAS3NO40	3295249194956	Black	40	5	-
SAGAS3NO41	3295249194963	Black	41	5	-
SAGAS3NO42	3295249194970	Black	42	5	-
SAGAS3NO43	3295249194987	Black	43	5	-
SAGAS3NO44	3295249194994	Black	44	5	-
SAGAS3NO45	3295249195007	Black	45	5	-
SAGAS3NO46	3295249195014	Black	46	5	-
SAGAS3NO47	3295249195021	Black	47	5	-
SAGAS3NO48	3295249195038	Black	48	5	-